

# O O bet365

Percutaneous endoscopic gastrostomy (PEG) is a type of feeding tube which is inserted through the skin of the abdomen into the stomach during an endoscopy. You may need a PEG if food, drink and medicines cannot reach your stomach (for example, if you can't swallow properly).

PEG and feeding tubes - Leeds Teaching Hospitals NHS Trust  
leedsth.nhs.uk : endoscopy : therapeutic-endoscopy-and-colonoscopy

PEG and feeding tubes - Leeds Teaching Hospitals NHS Trust  
leedsth.nhs.uk : endoscopy : therapeutic-endoscopy-and-colonoscopy

It can be put in via two methods: PEG or RIG. PEG stands for Percutaneous Endoscopic Gastrostomy - inserted via a telescope down the food pipe. RIG stands for Radiologically Inserted Gastrostomy - inserted using X-ray guidance after having barium placed inside the stomach.

Guide to PEG/RIG - Oxford University Hospitals  
ouh.nhs.uk : services : neurosciences : neurology : mnd : support

how-much-is-each-2024-club-world-cup-team-worth-n

de 2024? - AS USA pt.as  
ol how-much-is-each-2024-club-world-cup-team-worth-n Laranjeiras, Rio

de  
Laranjeiras, Rio